

View Online at <https://aerobasegroup.com/nsn/5999-00-310-9927>

Body Style:

Rectangular, bracketed

Hole Diameter:

0.156 inches

Overall Length:

1.750 inches

Frequency Rating:

Not rated

Body Length:

1.000 inches

Body Width:

4.500 inches

Individual Section Quantity:

2

Longest Horizontal Distance Between Mounting Centers:

4.000 inches

Longest Vertical Distance Between Mounting Centers:

1.500 inches

Operating Temperature Range:

-40.0 to 75.0 degrees celsius

Mounting Facility Quantity:

4

Voltage Rating:

Not rated

Material And Location:

Steel case

Surface Treatment And Location:

Enamel, dull gray, metallic case

Input Impedance Rating:

1.350 kilohms

Output Impedance Rating:

1.350 kilohms

Frequency Bandwidth:

Not rated

Body Depth:

4.500 inches

Mounting Facility:

Unthreaded hole

Mounting Provision Arrangement Style:

Four position rectangular

Attenuation In Decibels:

Not rated

Signal Delay Method:

Inductance

Section Delay Time:

416.000 nanoseconds 2nd section

Delay Time Variation Per Deg Celsius:

Not rated

Pulse Rise Time Rating:

Not rated

Terminal Type And Quantity:

5 tab solder lug

Fsc Application Data:

Radar nonairborne except fire control and guided missile

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A32100