NSN 5999-00-320-0735



Delay Line - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5999-00-320-0735 **Body Style:** Cylindrical, bracketed **Overall Depth:** 1.250 inches **Overall Width:** 2.000 inches **Body Length:** 5.875 inches **Individual Section Quantity: Longest Horizontal Distance Between Mounting Centers:** 1.562 inches **Mounting Facility Quantity: Material And Location:** Any acceptable **Surface Treatment And Location:** Any acceptable Input Impedance Rating: 600.000 ohms **Output Impedance Rating:** 600.000 ohms Frequency Bandwidth: 3600.0 kilohertz **Mounting Facility: Bracket Mounting Provision Arrangement Style:** 2 position in-line **Signal Delay Method:** Inductance **Delay Time Variation Method: Tapped Section Delay Time:** 1.000 microseconds single section **Pulse Rise Time Rating:** 350.0 nanoseconds **Terminal Type And Quantity:** 3 wire loop **Fsc Application Data:** Radar nonairborne except fire control and guided missile

Shelf Life:

N/a

NSN 5999-00-320-0735

Delay Line - Page 2 of 2



Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A32100