

View Online at <https://aerobasegroup.com/nsn/5999-00-325-8709>

**Cross Sectional Shape:**

Emi

**Hole Diameter:**

0.170 inches

**Overall Length:**

8.000 inches

**Overall Width:**

6.000 inches

**Outside Corner Radius:**

0.125 inches

**Aperture Width:**

5.000 inches

**Aperture Length:**

7.000 inches

**Center To Center Distance Between Bolt Holes Along Width:**

3.000 inches

**Center To Center Distance Between Bolt Holes Along Length:**

3.000 inches

**Outside Edge To Bolt Hole Center Distance Along Width:**

0.250 inches

**Outside Edge To Bolt Hole Center Distance Along Length:**

0.250 inches

**Cross-sectional Height:**

0.593 inches

**Bolt Hole Quantity:**

10

**Environmental Protection Material Location:**

Throughout rf shielding gasket

**Material:**

Steel comp 1010 emi/rfi conductor

**Material Specification:**

Mil-r-6130, type 2, grade a, condition medium military specification single material response environmental seal

**Surface Treatment:**

Cadmium emi/rfi conductor and copper emi/rfi conductor and tin emi/rfi conductor

**Surface Treatment Specification:**

Qq-p-416, type 1, class 2 federal specification 1st treatment response emi/rfi conductor

**Style Designator:**

Non-circular

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A032a0

**Mil-std (military Standard):**

Mil-r-6130 spec.