## NSN 5999-00-406-3486

Electronic Shielding Gasket - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5999-00-406-3486

Cross Sectional S	Shape:
-------------------	--------

Wire and composition

**Hole Diameter:** 

Between 0.110 inches and 0.130 inches

**Overall Length:** 

Between 1.484 inches and 1.516 inches

Overall Width:

Between 1.484 inches and 1.516 inches

**Aperture Diameter:** 

Between 1.286 inches and 1.318 inches

**Outside Corner Radius:** 

0.172 inches

Center To Center Distance Between Bolt Holes Along Width:

Between 1.146 inches and 1.166 inches

Center To Center Distance Between Bolt Holes Along Length:

Between 1.146 inches and 1.166 inches

**Outside Edge To Bolt Hole Center Distance Along Width:** 

Between 0.162 inches and 0.182 inches

Outside Edge To Bolt Hole Center Distance Along Length:

Between 0.162 inches and 0.182 inches

**Cross-sectional Height:** 

0.030 inches

**Bolt Hole Quantity:** 

**Environmental Protection Material Location:** 

Throughout rf shielding gasket

Material:

Rubber chloroprene class cr environmental seal

**Material Specification:** 

Ams 4182 assn standard single material response emi/rfi conductor

**Surface Treatment:** 

Chromate emi/rfi conductor

**Surface Treatment Specification:** 

Mil-c-5541 military specification single treatment response emi/rfi conductor

**Style Designator:** 

Non-circular

Shelf Life:

N/a

**Unit Of Measure:** 

**Demilitarization:** 

No

## NSN 5999-00-406-3486

Electronic Shielding Gasket - Page 2 of 2



Fiig:

A032a0

Mil-std (military Standard):

Mil-c-5541 spec.