NSN 5999-00-416-3212



Delay Line - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5999-00-416-3212 **Thread Class:** 2a **Body Style:** Rectangular **Body Length:** 4.531 inches **Body Width:** 2.250 inches **Individual Section Quantity: Longest Horizontal Distance Between Mounting Centers:** 1.750 inches **Longest Vertical Distance Between Mounting Centers:** 1.625 inches Stud Length: 0.469 inches **Inclosure Type:** Hermetically sealed **Mounting Facility Quantity: Voltage Rating:** 500.000 volts Input Impedance Rating: 75.000 ohms **Output Impedance Rating:** 75.000 ohms **Body Depth:** 2.125 inches **Unpackaged Unit Weight:** 16.000 ounces **Mounting Facility:** Threaded stud **Mounting Provision Arrangement Style:** Four position rectangular **Attenuation In Decibels:** 3.000 **Signal Delay Method:** Lumped constant

Section Delay Time: 13.000 microseconds single section

Pulse Rise Time Rating:

500.0 milliseconds

NSN 5999-00-416-3212

Delay Line - Page 2 of 2



Terminal	Type	And	Quantity:
----------	------	-----	-----------

3 wire hook

Thread Size And Series/type Designator:

0.164-32 unc

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A32100