

View Online at <https://aerobasegroup.com/nsn/5999-00-450-4848>

Thread Class:

2b

Thread Pitch Diameters:

+0.0958 to 0.0991 inches

Body Style:

Rectangular

Frequency Rating:

Not rated

Body Length:

3.000 inches

Body Width:

2.000 inches

Individual Section Quantity:

4

Longest Horizontal Distance Between Mounting Centers:

2.500 inches

Longest Vertical Distance Between Mounting Centers:

1.500 inches

Operating Temperature Range:

-54.0 to 85.0 degrees celsius

Inclosure Type:

Encased

Mounting Facility Quantity:

4

Voltage Rating:

Not rated

Input Impedance Rating:

500.000 ohms

Output Impedance Rating:

500.000 ohms

Frequency Bandwidth:

Not rated

Body Depth:

0.500 inches

Mounting Facility:

Threaded hole

Mounting Provision Arrangement Style:

Four position rectangular

Attenuation In Decibels:

2.000

Signal Delay Method:

Inductance

Delay Time Variation Method:

Tapped

Section Delay Time:

14.500 microseconds 1st section

Segment Quantity Per Section:

6 1st section

Segment Delay Time:

8.500 microseconds 1st section 1st segment

Delay Time Variation Per Deg Celsius:

Not rated

Pulse Rise Time Rating:

2.0 microseconds

Terminal Type And Quantity:

14 tab solder lug

Thread Size And Series/type Designator:

0.112-40 unc

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A32100