

View Online at <https://aerobasegroup.com/nsn/5999-00-475-7674>

Thread Class:

2a

Body Style:

Rectangular, bracketed

Overall Length:

4.250 inches

Body Length:

4.250 inches

Body Width:

4.359 inches

Individual Section Quantity:

1

Longest Horizontal Distance Between Mounting Centers:

2.875 inches

Longest Vertical Distance Between Mounting Centers:

3.359 inches

Operating Temperature Range:

-55.0/+100.0 degrees celsius

Stud Length:

0.281 inches

Inclosure Type:

Encased

Mounting Facility Quantity:

4

Voltage Rating:

Between 25.000 volts and 100.000 volts

Material And Location:

Steel, hardened, cold rolled body

Surface Treatment And Location:

Tin plate, mil-t-10727, type 1 or 2 body

Body Depth:

2.125 inches

Mounting Facility:

Threaded stud

Mounting Provision Arrangement Style:

Four position rectangular

Signal Delay Method:

Electromechanical

Delay Time Variation Method:

Tapped

Delay Time Variation Per Deg Celsius:

90.000 nanoseconds

Pulse Rise Time Rating:

0.05 microseconds

Terminal Type And Quantity:

24 wire hook

Supplementary Features:

Four 0.500 in. Diameter holes located on bracket on front of item

Thread Size And Series/type Designator:

4.000-40 unc

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fig:

A32100