## NSN 5999-00-482-2188

Electronic Shielding Gasket - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5999-00-482-2188

| Cross Sectional Shape:  |
|---|
| Mesh and metal  |
| Hole Diameter:  |
| 0.375 inches  |
| Overall Length:   |
| 9.940 inches  |
| Overall Width:  |
| 4.430 inches  |
| Aperture Width:   |
| 3.125 inches  |
| Aperture Length:  |
| 8.562 inches  |
| Outside Corner Bevel Length Along Width:  |
| 0.268 inches  |
| Outside Corner Bevel Length Along Length:   |
| 0.268 inches  |
| Outside Edge To Bolt Hole Center Distance Along Width:  |
| 0.312 inches  |
| Outside Edge To Bolt Hole Center Distance Along Length:   |
| 0.281 inches  |
| Cross Section Outside Diameter:   |
| 0.125 inches  |
| Cross-sectional Height:   |
| 0.125 inches  |
| Minor Height:   |
| 0.120 inches  |
| Bolt Hole Quantity:   |
| 4   |
| Environmental Protection Material Location:   |
| Around rf shielding gasket aperture   |
| Material:   |
| Rubber chloroprene class cr environmental seal  |
| Material Specification:   |
| Mil-r-6855, class 2, grade 40 military standard single material response environmental seal   |
| Style Designator:   |
| Non-circular Section 1. The section |
| Shelf Life:   |
| N/a   |
| Unit Of Measure:  |
| <del></del>   |
| Demilitarization:   |
| No  |

## NSN 5999-00-482-2188

Electronic Shielding Gasket - Page 2 of 2



Fiig:

A032a0

Mil-std (military Standard):

Mil-r-6855 spec.