

View Online at <https://aerobasegroup.com/nsn/5999-00-494-6125>

Cross Sectional Shape:

Mesh and metal

Hole Diameter:

Between 0.127 inches and 0.133 inches

Overall Length:

13.060 inches

Overall Width:

10.940 inches

Outside Corner Radius:

0.120 inches

Aperture Width:

9.706 inches

Aperture Length:

11.826 inches

Center To Center Distance Between Bolt Holes Along Width:

7.000 inches

Center To Center Distance Between Bolt Holes Along Length:

4.500 inches

Outside Edge To Bolt Hole Center Distance Along Width:

0.281 inches

Outside Edge To Bolt Hole Center Distance Along Length:

0.281 inches

Cross Section Outside Diameter:

0.180 inches

Cross-sectional Thickness:

0.180 inches

Cross-sectional Height:

0.093 inches

Bolt Hole Quantity:

6

Environmental Protection Material Location:

Around rf shielding gasket outer perimeter

Material:

Rubber chloroprene class cr environmental seal

Material Specification:

Qq-a-200/9, alloy 6063-t42 federal specification 1st material response emi/rfi conductor and qq-n-281, class a federal specification 2nd material response emi/rfi conductor

Surface Treatment:

Chromate emi/rfi conductor and chromate zinc emi/rfi conductor and enamel emi/rfi conductor

Surface Treatment Specification:

Mil-c-5541, class 2 military specification 1st treatment response emi/rfi conductor and mil-p-8585 military specification 2nd treatment response emi/rfi conductor and mil-e-15090, type 2, class 2 military specification 3rd treatment response emi/rfi conductor

Style Designator:

Non-circular

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A032a0

Mil-std (military Standard):

Mil-r-6130 spec.