

View Online at <https://aerobasegroup.com/nsn/5999-00-509-0611>

**Thread Class:**

2b

**Thread Pitch Diameters:**

+0.1875/+0.1876 inches

**Body Style:**

Rectangular, bracketed

**Overall Length:**

1.750 inches

**Body Length:**

1.000 inches

**Body Width:**

1.000 inches

**Individual Section Quantity:**

1

**Longest Horizontal Distance Between Mounting Centers:**

3.687 inches

**Longest Vertical Distance Between Mounting Centers:**

1.562 inches

**Mounting Facility Quantity:**

4

**Material And Location:**

Aluminum alloy case

**Surface Treatment And Location:**

Enamel, mil-e-15090, type 2, class 2 case

**Input Impedance Rating:**

9.100 kilohms

**Output Impedance Rating:**

9.100 kilohms

**Body Depth:**

4.625 inches

**Mounting Facility:**

Threaded hole

**Mounting Provision Arrangement Style:**

Four position rectangular

**Attenuation In Decibels:**

1.500

**Signal Delay Method:**

Lumped constant

**Section Delay Time:**

12.000 microseconds single section

**Terminal Type And Quantity:**

3 tab solder lug

**Thread Size And Series/type Designator:**

0.138-32 unc

**Fsc Application Data:**

Radio, except navigation, nonairborne

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

Yes - demil/mli

**Fig:**

A32100