

View Online at <https://aerobasegroup.com/nsn/5999-00-571-8650>

Thread Class:

2a

Body Style:

Cylindrical, end post connection

Slot Depth:

0.020 inches

Slot Width:

0.020 inches

Overall Length:

4.820 inches

Body Diameter:

1.000 inches

Shaft Diameter:

0.1247 inches

Shaft Length:

0.340 inches

Adjustment Device Quantity:

1

Adjustment Device Drive Type:

Shaft

Body Length:

4.260 inches

Shaft Style:

Round, slotted

Individual Section Quantity:

2

Operating Temperature Range:

-30.0/+70.0 degrees celsius

Mounting Facility Quantity:

1

Input Impedance Rating:

1.150 kilohms

Mounting Facility:

Threaded bushing

Signal Delay Method:

Inductance

Delay Time Variation Method:

Variable

Section Delay Time:

250.000 nanoseconds all sections

Pulse Rise Time Rating:

40.0 nanoseconds

Terminal Type And Quantity:

4 turret

Thread Size And Series/type Designator:

0.240-32 unc

Fsc Application Data:

Amplifier assembly, indicator group, sonar, airborne

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A32100