

View Online at <https://aerobasegroup.com/nsn/5999-00-571-8650>

**Thread Class:**

2a

**Body Style:**

Cylindrical, end post connection

**Slot Depth:**

0.020 inches

**Slot Width:**

0.020 inches

**Overall Length:**

4.820 inches

**Body Diameter:**

1.000 inches

**Shaft Diameter:**

0.1247 inches

**Shaft Length:**

0.340 inches

**Adjustment Device Quantity:**

1

**Adjustment Device Drive Type:**

Shaft

**Body Length:**

4.260 inches

**Shaft Style:**

Round, slotted

**Individual Section Quantity:**

2

**Operating Temperature Range:**

-30.0/+70.0 degrees celsius

**Mounting Facility Quantity:**

1

**Input Impedance Rating:**

1.150 kilohms

**Mounting Facility:**

Threaded bushing

**Signal Delay Method:**

Inductance

**Delay Time Variation Method:**

Variable

**Section Delay Time:**

250.000 nanoseconds all sections

**Pulse Rise Time Rating:**

40.0 nanoseconds

**Terminal Type And Quantity:**

4 turret

**Thread Size And Series/type Designator:**

0.240-32 unc

**Fsc Application Data:**

Amplifier assembly, indicator group, sonar, airborne

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

Yes - demil/mli

**Fiig:**

A32100