NSN 5999-00-575-0813

Delay Line - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5999-00-575-0813

Mounting Facility Quantity: 3 Material And Location: Plastic case Input Impedance Rating: 500.000 ohms Output Impedance Rating: 500.000 ohms Frequency Bandwidth: 7200.0 kilohertz Mounting Facility: Terminal Attenuation In Decibels: 1.000 Signal Delay Method: Transmission line Section Delay Time: 25.000 nanoseconds single section Terminal Type And Quantity: 3 wire leads Fsc Application Data: Interrogator set, electronic identification Shelf Life: N/a Unit Of Measure: Demilitarization: Yes - demil/mli Fiig:	Individual Section Quantity:
Material And Location: Plastic case Input Impedance Rating: 500.000 ohms Output Impedance Rating: 500.000 ohms Frequency Bandwidth: 7200.0 kilohertz Mounting Facility: Terminal Attenuation In Decibels: 1.000 Signal Delay Method: Transmission line Section Delay Time: 25.000 nanoseconds single section Terminal Type And Quantity: 3 wire leads Fsc Application Data: Interrogator set, electronic identification Shelf Life: N/a Unit Of Measure: Demilitarization: Yes - demil/mli	1
Material And Location: Plastic case Input Impedance Rating: 500.000 ohms Output Impedance Rating: 500.000 ohms Frequency Bandwidth: 7200.0 kilohertz Mounting Facility: Terminal Attenuation In Decibels: 1.000 Signal Delay Method: Transmission line Section Delay Time: 25.000 nanoseconds single section Terminal Type And Quantity: 3 wire leads Fsc Application Data: Interrogator set, electronic identification Shelf Life: N/a Unit Of Measure: Demilitarization: Yes - demil/mli	Mounting Facility Quantity:
Plastic case Input Impedance Rating: 500.000 ohms Output Impedance Rating: 500.000 ohms Frequency Bandwidth: 7200.0 kilohertz Mounting Facility: Terminal Attenuation In Decibels: 1.000 Signal Delay Method: Transmission line Section Delay Time: 25.000 nanoseconds single section Terminal Type And Quantity: 3 wire leads Fsc Application Data: Interrogator set, electronic identification Shelf Life: N/a Unit Of Measure: Demilitarization: Yes - demil/mli	3
Input Impedance Rating: 500.000 ohms Output Impedance Rating: 500.000 ohms Frequency Bandwidth: 7200.0 kilohertz Mounting Facility: Terminal Attenuation In Decibels: 1.000 Signal Delay Method: Transmission line Section Delay Time: 25.000 nanoseconds single section Terminal Type And Quantity: 3 wire leads Fsc Application Data: Interrogator set, electronic identification Shelf Life: N/a Unit Of Measure: Demilitarization: Yes - demil/mli	Material And Location:
Output Impedance Rating: 500.000 ohms Frequency Bandwidth: 7200.0 kilohertz Mounting Facility: Terminal Attenuation In Decibels: 1.000 Signal Delay Method: Transmission line Section Delay Time: 25.000 nanoseconds single section Terminal Type And Quantity: 3 wire leads Fsc Application Data: Interrogator set, electronic identification Shelf Life: N/a Unit Of Measure: Demilitarization: Yes - demil/mli	Plastic case
Output Impedance Rating: 500.000 ohms Frequency Bandwidth: 7200.0 kilohertz Mounting Facility: Terminal Attenuation In Decibels: 1.000 Signal Delay Method: Transmission line Section Delay Time: 25.000 nanoseconds single section Terminal Type And Quantity: 3 wire leads Fsc Application Data: Interrogator set, electronic identification Shelf Life: N/a Unit Of Measure: Demilitarization: Yes - demil/mli	Input Impedance Rating:
Frequency Bandwidth: 7200.0 kilohertz Mounting Facility: Terminal Attenuation In Decibels: 1.000 Signal Delay Method: Transmission line Section Delay Time: 25.000 nanoseconds single section Terminal Type And Quantity: 3 wire leads Fsc Application Data: Interrogator set, electronic identification Shelf Life: N/a Unit Of Measure: Demilitarization: Yes - demil/mli	500.000 ohms
Frequency Bandwidth: 7200.0 kilohertz Mounting Facility: Terminal Attenuation In Decibels: 1.000 Signal Delay Method: Transmission line Section Delay Time: 25.000 nanoseconds single section Terminal Type And Quantity: 3 wire leads Fsc Application Data: Interrogator set, electronic identification Shelf Life: N/a Unit Of Measure: Demilitarization: Yes - demil/mli	Output Impedance Rating:
Mounting Facility: Terminal Attenuation In Decibels: 1.000 Signal Delay Method: Transmission line Section Delay Time: 25.000 nanoseconds single section Terminal Type And Quantity: 3 wire leads Fsc Application Data: Interrogator set, electronic identification Shelf Life: N/a Unit Of Measure: Demilitarization: Yes - demil/mli	500.000 ohms
Mounting Facility: Terminal Attenuation In Decibels: 1.000 Signal Delay Method: Transmission line Section Delay Time: 25.000 nanoseconds single section Terminal Type And Quantity: 3 wire leads Fsc Application Data: Interrogator set, electronic identification Shelf Life: N/a Unit Of Measure: Demilitarization: Yes - demil/mli	Frequency Bandwidth:
Terminal Attenuation In Decibels: 1.000 Signal Delay Method: Transmission line Section Delay Time: 25.000 nanoseconds single section Terminal Type And Quantity: 3 wire leads Fsc Application Data: Interrogator set, electronic identification Shelf Life: N/a Unit Of Measure: Demilitarization: Yes - demil/mli	7200.0 kilohertz
Attenuation In Decibels: 1.000 Signal Delay Method: Transmission line Section Delay Time: 25.000 nanoseconds single section Terminal Type And Quantity: 3 wire leads Fsc Application Data: Interrogator set, electronic identification Shelf Life: N/a Unit Of Measure: Demilitarization: Yes - demil/mli	Mounting Facility:
1.000 Signal Delay Method: Transmission line Section Delay Time: 25.000 nanoseconds single section Terminal Type And Quantity: 3 wire leads Fsc Application Data: Interrogator set, electronic identification Shelf Life: N/a Unit Of Measure: Demilitarization: Yes - demil/mli	Terminal
Signal Delay Method: Transmission line Section Delay Time: 25.000 nanoseconds single section Terminal Type And Quantity: 3 wire leads Fsc Application Data: Interrogator set, electronic identification Shelf Life: N/a Unit Of Measure: Demilitarization: Yes - demil/mli	Attenuation In Decibels:
Transmission line Section Delay Time: 25.000 nanoseconds single section Terminal Type And Quantity: 3 wire leads Fsc Application Data: Interrogator set, electronic identification Shelf Life: N/a Unit Of Measure: Demilitarization: Yes - demil/mli	1.000
Section Delay Time: 25.000 nanoseconds single section Terminal Type And Quantity: 3 wire leads Fsc Application Data: Interrogator set, electronic identification Shelf Life: N/a Unit Of Measure: Demilitarization: Yes - demil/mli	Signal Delay Method:
25.000 nanoseconds single section Terminal Type And Quantity: 3 wire leads Fsc Application Data: Interrogator set, electronic identification Shelf Life: N/a Unit Of Measure: Demilitarization: Yes - demil/mli	Transmission line
Terminal Type And Quantity: 3 wire leads Fsc Application Data: Interrogator set, electronic identification Shelf Life: N/a Unit Of Measure: Demilitarization: Yes - demil/mli	Section Delay Time:
3 wire leads Fsc Application Data: Interrogator set, electronic identification Shelf Life: N/a Unit Of Measure: Demilitarization: Yes - demil/mli	25.000 nanoseconds single section
Fsc Application Data: Interrogator set, electronic identification Shelf Life: N/a Unit Of Measure: Demilitarization: Yes - demil/mli	Terminal Type And Quantity:
Interrogator set, electronic identification Shelf Life: N/a Unit Of Measure: Demilitarization: Yes - demil/mli	3 wire leads
Shelf Life: N/a Unit Of Measure: Demilitarization: Yes - demil/mli	Fsc Application Data:
N/a Unit Of Measure: Demilitarization: Yes - demil/mli	Interrogator set, electronic identification
Unit Of Measure: Demilitarization: Yes - demil/mli	Shelf Life:
Demilitarization: Yes - demil/mli	N/a
Yes - demil/mli	Unit Of Measure:
Yes - demil/mli	
	Demilitarization:
Fiig:	Yes - demil/mli
	Fiig:
A32100	A32100