

View Online at <https://aerobasegroup.com/nsn/5999-00-581-9724>

Body Style:

Rectangular, bracketed

Hole Diameter:

0.156 inches

Overall Length:

6.563 inches

Frequency Rating:

32.000 megahertz

Body Length:

5.562 inches

Body Width:

0.938 inches

Individual Section Quantity:

1

Longest Horizontal Distance Between Mounting Centers:

6.063 inches

Longest Vertical Distance Between Mounting Centers:

1.000 inches

Mounting Facility Quantity:

4

Material And Location:

Any acceptable

Surface Treatment And Location:

Chromium-nickel plated, gg-i-526, class 8 case

Input Impedance Rating:

1.000 kilohms

Output Impedance Rating:

1.000 kilohms

Body Depth:

1.750 inches

Mounting Facility:

Flange

Mounting Provision Arrangement Style:

Four position rectangular

Signal Delay Method:

Inductance

Delay Time Variation Method:

Tapped

Section Delay Time:

500.000 nanoseconds single section

Segment Quantity Per Section:

10 single section

Segment Delay Time:

50.000 nanoseconds single section all segments

Terminal Type And Quantity:

11 tab solder lug

Fsc Application Data:

Radar nonairborne except fire control and guided missile

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A32100