

View Online at <https://aerobasegroup.com/nsn/5999-00-644-3412>

Thread Class:

2a

Thread Pitch Diameters:

+0.2500/+0.2501 inches

Body Style:

Rectangular

Body Length:

7.000 inches

Body Width:

4.563 inches

Individual Section Quantity:

1

Longest Horizontal Distance Between Mounting Centers:

4.500 inches

Longest Vertical Distance Between Mounting Centers:

2.375 inches

Stud Length:

0.500 inches

Mounting Facility Quantity:

4

Material And Location:

Any acceptable

Surface Treatment And Location:

Any acceptable

Input Impedance Rating:

180.000 ohms

Output Impedance Rating:

180.000 ohms

Body Depth:

3.188 inches

Mounting Facility:

Threaded stud

Mounting Provision Arrangement Style:

Four position rectangular

Signal Delay Method:

Inductance

Delay Time Variation Method:

Tapped

Section Delay Time:

20.300 microseconds single section

Segment Quantity Per Section:

14 single section

Terminal Type And Quantity:

16 wire leads

Thread Size And Series/type Designator:

0.164-32 unc

Fsc Application Data:

Radar nonairborne except fire control and guided missile

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A32100