

View Online at <https://aerobasegroup.com/nsn/5999-00-646-9777>

Thread Class:

2b

Thread Pitch Diameters:

+0.0960/+0.0990 inches

Body Style:

Rectangular

Bushing Length:

0.328 inches

Body Length:

4.120 inches

Body Width:

0.938 inches

Individual Section Quantity:

1

Longest Horizontal Distance Between Mounting Centers:

3.844 inches

Longest Vertical Distance Between Mounting Centers:

0.344 inches

Operating Temperature Range:

-55.0/+100.0 degrees celsius

Mounting Facility Quantity:

4

Voltage Rating:

20.000 volts

Material And Location:

Any acceptable

Surface Treatment And Location:

Any acceptable

Input Impedance Rating:

3.900 kilohms

Output Impedance Rating:

3.900 kilohms

Body Depth:

0.620 inches

Mounting Facility:

Threaded bushing

Mounting Provision Arrangement Style:

Four position rectangular

Signal Delay Method:

Lumped constant

Section Delay Time:

9.700 microseconds single section

Pulse Rise Time Rating:

2.5 microseconds

Terminal Type And Quantity:

3 wire hook

Thread Size And Series/type Designator:

0.112-40 unc

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A32100