# NSN 5999-00-688-7472

Delay Line - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5999-00-688-7472

# Body Style:

Rectangular

# Adjustment Device Quantity:

1

# Adjustment Device Drive Type:

Slotted screw

### **Body Length:**

1.750 inches

### **Body Width:**

1.250 inches

# Individual Section Quantity:

1

# Longest Horizontal Distance Between Mounting Centers:

0.750 inches

### **Operating Tempurature Range:**

# -55.0/+85.0 degrees celsius

Inclosure Type:

# Hermetically sealed

Mounting Facility Quantity:

2

### Input Impedance Rating:

800.000 ohms

# **Output Impedance Rating:**

800.000 ohms

# **Body Depth:**

1.250 inches

### Mounting Facility:

Threaded insert

### Mounting Provision Arrangement Style:

2 position in-line

# Signal Delay Method:

Electromechanical

### **Delay Time Variation Method:**

Variable

### Section Delay Time:

2.000 microseconds single section and 2.400 microseconds single section

# Pulse Rise Time Rating:

0.15 microseconds

# **Terminal Type And Quantity:**

1 wire loop

#### Shelf Life:

N/a

# NSN 5999-00-688-7472

Delay Line - Page 2 of 2



Unit Of Measure:

---

Demilitarization:

Yes - demil/mli

Fiig:

A32100