

View Online at <https://aerobasegroup.com/nsn/5999-00-710-1358>

Body Style:

Rectangular, bracketed

Hole Diameter:

0.370 inches

Overall Length:

9.540 inches

Body Length:

7.490 inches

Body Width:

2.310 inches

Individual Section Quantity:

1

Longest Horizontal Distance Between Mounting Centers:

8.760 inches

Mounting Facility Quantity:

2

Material And Location:

Any acceptable

Surface Treatment And Location:

Any acceptable

Input Impedance Rating:

1.300 kilohms

Output Impedance Rating:

1.300 kilohms

Body Depth:

1.560 inches

Mounting Facility:

Unthreaded hole

Mounting Provision Arrangement Style:

2 position in-line

Signal Delay Method:

Inductance

Section Delay Time:

3.000 microseconds single section

Pulse Rise Time Rating:

500.0 nanoseconds

Terminal Type And Quantity:

2 tab solder lug

Test Data Document:

10001-1244-542 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

Fsc Application Data:

Radar nonairborne except fire control and guided missile

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A32100