Electronic Shielding Gasket - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5999-00-721-1455

Cross Sectional Shape: Mesh and composition Hole Diameter: 0.325 inches **Overall Length:** 20.437 inches **Tempurature Rating:** -60.0 degrees fahrenheit and 220.0 degrees fahrenheit **Overall Width:** 17.750 inches **Minor Width:** Between 0.156 inches and 0.171 inches **Inside Corner Radius:** 0.188 inches **Outside Corner Radius:** 0.062 inches **Aperture Width:** 15.750 inches **Aperture Length:** 18.137 inches Center To Center Distance Between Bolt Holes Along Width: 3.362 inches Center To Center Distance Between Bolt Holes Along Length: 3.250 inches Outside Edge To Bolt Hole Center Distance Along Width: 0.468 inches **Outside Edge To Bolt Hole Center Distance Along Length:** 0.468 inches **Cross-sectional Height:** Between 0.156 inches and 0.171 inches **Minor Height:** 0.125 inches **Bolt Hole Quantity:** 22 **Environmental Protection Material Location:** Around rf shielding gasket aperture **Special Features:** 0.125 in. Gage thickness legend letter x Material:

Rubber butadiene-acrylonitrile class nbr environmental seal

Material Specification:

Qq-n-281, class b federal specification single material response emi/rfi conductor or ams 4730a assn standard single material response emi/rfi conductor

NSN 5999-00-721-1455

Electronic Shielding Gasket - Page 2 of 2



Style Designator:

Non-circular

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A032a0

Mil-std (military Standard):

Mil-r-3065 spec.