## NSN 5999-00-725-8173



Delay Line - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5999-00-725-8173 **Thread Class:** 2b **Body Style:** Rectangular **Body Length:** 9.250 inches **Body Width:** 1.938 inches **Individual Section Quantity: Longest Horizontal Distance Between Mounting Centers:** 8.125 inches **Operating Tempurature Range:** -65.0/+85.0 degrees celsius **Mounting Facility Quantity: Voltage Rating:** 100.000 volts **Material And Location:** Plastic body Input Impedance Rating: 560.000 ohms Frequency Bandwidth: 2000.0 kilohertz **Body Depth:** 0.750 inches **Mounting Facility:** Threaded hole **Mounting Provision Arrangement Style:** 2 position in-line **Attenuation In Decibels:** 6.000 **Signal Delay Method:** Inductance **Section Delay Time:** 5.000 microseconds single section **Pulse Rise Time Rating:** 0.4 microseconds **Terminal Type And Quantity:** 

3 tab solder lug

Thread Size And Series/type Designator:

0.138-32 unc

## NSN 5999-00-725-8173

Delay Line - Page 2 of 2



Fsc A	ilaa	catior	n Data:

Test, except specially designed

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A32100