NSN 5999-00-737-0503



Delay Line - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5999-00-737-0503 **Thread Class:** 2a **Body Style:** Rectangular **Body Length:** 4.000 inches **Body Width:** 3.812 inches **Individual Section Quantity: Longest Horizontal Distance Between Mounting Centers:** 3.500 inches **Longest Vertical Distance Between Mounting Centers:** 3.750 inches Stud Length: 0.460 inches **Mounting Facility Quantity: Material And Location:** Steel body **Surface Treatment And Location:** Enamel body Input Impedance Rating: 75.000 ohms **Output Impedance Rating:** 75.000 ohms **Body Depth:** 2.120 inches **Mounting Facility:** Threaded stud **Mounting Provision Arrangement Style:** Four position rectangular **Attenuation In Decibels:** 1.500 **Section Delay Time:** 6.600 microseconds single section **Pulse Rise Time Rating:** 300.0 nanoseconds **Terminal Type And Quantity:**

Thread Size And Series/type Designator: 0.164-32 unc

2 coaxial receptacle

NSN 5999-00-737-0503

Delay Line - Page 2 of 2



Fsc Application Dat

Radar set, guided missile

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A32100