NSN 5999-00-738-7964



Delay Line - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5999-00-738-7964 **Thread Class:** 2a **Body Style:** Rectangular, top connection **Overall Width:** 3.844 inches **Body Length:** 7.000 inches **Body Width:** 2.250 inches **Individual Section Quantity: Longest Horizontal Distance Between Mounting Centers:** 5.500 inches **Longest Vertical Distance Between Mounting Centers:** 1.500 inches **Operating Tempurature Range:** -29.0/+80.0 degrees celsius **Mounting Facility Quantity: Material And Location:** Steel case **Surface Treatment And Location:** Paint case Frequency Bandwidth: 424.0 kilohertz **Body Depth:** 3.375 inches **Mounting Facility:** Threaded stud **Mounting Provision Arrangement Style:** Four position rectangular **Attenuation In Decibels:** 35.000 **Signal Delay Method:** Transmission line **Delay Time Variation Method:** Tapped

Section Delay Time:

20.200 microseconds single section

Terminal Type And Quantity:

6 solder stud

NSN 5999-00-738-7964

Delay Line - Page 2 of 2



0.164-32 unc

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A32100