NSN 5999-00-755-4636

Delay Line - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5999-00-755-4636

Body Style:

Rectangular

Hole Diameter:

0.138 inches

Frequency Rating:

3.000 megahertz

Body Length:

4.000 inches

Body Width:

1.000 inches

Individual Section Quantity:

1

Longest Horizontal Distance Between Mounting Centers:

2.750 inches

Operating Tempurature Range:

-29.0 to 60.0 degrees celsius

Mounting Facility Quantity:

2

Voltage Rating:

Not rated

Input Impedance Rating:

1000.000 ohms

Output Impedance Rating:

1000.000 ohms

Frequency Bandwidth:

Not rated

Body Depth:

1.875 inches

Mounting Facility:

Threaded insert

Mounting Provision Arrangement Style:

2 position in-line

Attenuation In Decibels:

Not rated

Signal Delay Method:

Inductance

Delay Time Variation Method:

Tapped

Section Delay Time:

1.300 microseconds single section

Segment Quantity Per Section:

4 single section

NSN 5999-00-755-4636

Delay Line - Page 2 of 2



Segment Delay Time:

1.300 microseconds single section 4th segment

Delay Time Variation Per Deg Celsius:

Not rated

Pulse Rise Time Rating:

0.1 microseconds

Terminal Type And Quantity:

6 tab solder lug

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A32100