## NSN 5999-00-763-5601

Delay Line - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5999-00-763-5601 **Thread Class:** 2b Frequency Rating: Not rated **Individual Section Quantity: Operating Tempurature Range:** -40.0 to 100.0 degrees celsius **Mounting Facility Quantity:** Voltage Rating: 5.000 volts Input Impedance Rating: 500.000 ohms **Output Impedance Rating:** 500.000 ohms Frequency Bandwidth: Not rated **Mounting Facility:** Threaded hole **Attenuation In Decibels:** Not rated **Delay Time Variation Method:** Tapped **Section Delay Time:** 890.000 nanoseconds single section **Segment Quantity Per Section:** 17 single section **Segment Delay Time:** 20.000 nanoseconds single section 6th segment **Delay Time Variation Per Deg Celsius:** Not rated **Pulse Rise Time Rating:** 40.0 nanoseconds **Terminal Type And Quantity:** 19 pin Thread Size And Series/type Designator: 0.112-40 unc Shelf Life: N/a

**Unit Of Measure:** 

## NSN 5999-00-763-5601

Delay Line - Page 2 of 2



## Demilitarization:

Yes - demil/mli

Fiig:

A32100