## NSN 5999-00-772-7204



Delay Line - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5999-00-772-7204 **Body Style:** Rectangular **Body Length:** 2.500 inches **Body Width:** 0.300 inches **Individual Section Quantity: Operating Tempurature Range:** +0.0/+60.0 degrees celsius **Mounting Facility Quantity: Voltage Rating:** 20.000 volts **Material And Location:** Plastic case Input Impedance Rating: 1.000 kilohms **Output Impedance Rating:** 1.000 kilohms Frequency Bandwidth: 950.0 kilohertz **Body Depth:** 0.300 inches **Mounting Facility: Terminal Signal Delay Method:** Inductance **Section Delay Time:** 2.000 microseconds single section **Pulse Rise Time Rating:** 1.0 microseconds **Terminal Type And Quantity:** 3 pin **Test Data Document:** 24930-g300114 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing) **Fsc Application Data:** Radar nonairborne except fire control and guided missile

--

N/a

Shelf Life:

**Unit Of Measure:** 

## NSN 5999-00-772-7204

Delay Line - Page 2 of 2



Demilitarization:

Yes - demil/mli

Fiig:

A32100