NSN 5999-00-803-6263

Delay Line - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5999-00-803-6263

Thread Class:
2a
Thread Pitch Diameters:
+0.0830/+0.0850 inches
Body Style:
Rectangular
Body Length:
2.625 inches
Body Width:
0.609 inches
Individual Section Quantity:
1
Longest Horizontal Distance Between Mounting Centers:
1.875 inches
Operating Tempurature Range:
-65.0/+125.0 degrees celsius
Stud Length:
0.250 inches
Mounting Facility Quantity:
2
Material And Location:
Any acceptable
Surface Treatment And Location:
Any acceptable
Body Depth:
0.984 inches
Mounting Facility:
Threaded stud
Mounting Provision Arrangement Style:
2 position in-line
Signal Delay Method:
Lumped constant
Section Delay Time:
11.800 microseconds single section
Segment Quantity Per Section:
10 single section
Segment Delay Time:
1.180 microseconds single section all segments
Pulse Rise Time Rating:
500.000 nanoseconds
Terminal Type And Quantity:

11 wire hook

NSN 5999-00-803-6263

Delay Line - Page 2 of 2



0.099-48 unc

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A32100