NSN 5999-00-804-7169



Delay Line - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5999-00-804-7169 **Thread Class:** 2a **Body Style:** Rectangular Frequency Rating: 30.000 megahertz **Body Length:** 6.531 inches **Body Width:** 4.000 inches **Individual Section Quantity: Longest Horizontal Distance Between Mounting Centers:** 4.500 inches **Operating Tempurature Range:** Not rated **Mounting Facility Quantity:** 2 **Voltage Rating:** Not rated **Material And Location:** Any acceptable **Surface Treatment And Location:** Any acceptable Input Impedance Rating: Not rated **Output Impedance Rating:** Not rated Frequency Bandwidth: Not rated **Body Depth:** 1.500 inches **Mounting Facility:** Threaded stud **Mounting Provision Arrangement Style:** 2 position in-line **Attenuation In Decibels:** Not rated

Signal Delay Method:
Electromechanical
Section Delay Time:

31.000 microseconds single section

NSN 5999-00-804-7169Delay Line - Page 2 of 2



Delay Time variation Per Deg Celsius:
Not rated
Pulse Rise Time Rating:
Not rated
Terminal Type And Quantity:
2 socket and 3 turret
Thread Size And Series/type Designator:
0.164-32 unc
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
Yes - demil/mli

Fiig: A32100