NSN 5999-00-806-4007



Delay Line - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5999-00-806-4007 **Thread Class:** 2a **Body Style:** Rectangular Frequency Rating: 30.000 megahertz **Body Length:** 6.631 inches **Body Width:** 6.031 inches **Individual Section Quantity: Longest Horizontal Distance Between Mounting Centers:** 4.500 inches **Operating Tempurature Range:** -40.0/+80.0 degrees celsius **Mounting Facility Quantity:** 2 **Material And Location:** Any acceptable **Surface Treatment And Location:** Any acceptable **Body Depth:** 1.546 inches **Mounting Facility:** Threaded stud **Mounting Provision Arrangement Style:** 2 position in-line **Attenuation In Decibels:** 31.000 **Signal Delay Method:** Electromechanical **Section Delay Time:** 222.200 microseconds single section **Delay Time Variation Per Deg Celsius:** 100.000 nanoseconds **Terminal Type And Quantity:** 2 socket and 3 turret Thread Size And Series/type Designator:

0.164-32 unc

N/a

NSN 5999-00-806-4007

Delay Line - Page 2 of 2



Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A32100