4007



.com/nsn/5999-00-806-4007

NSN 5999-00-806-4007 Delay Line - Page 1 of 2
View Online at https://aerobasegroup.com/nsn/5999-00-806-4
Thread Class:
2a
Body Style:
Rectangular
Frequency Rating:
30.000 megahertz
Body Length:
6.631 inches
Body Width:
6.031 inches
Individual Section Quantity:
1
Longest Horizontal Distance Between Mounting Centers:
4.500 inches
Operating Tempurature Range:
-40.0/+80.0 degrees celsius
Mounting Facility Quantity:
2
Material And Location:
Any acceptable
Surface Treatment And Location:
Any acceptable
Body Depth:
1.546 inches
Mounting Facility:
Threaded stud
Mounting Provision Arrangement Style:
2 position in-line
Attenuation In Decibels:
31.000
Signal Delay Method:
Electromechanical
Section Delay Time:
222.200 microseconds single section
Delay Time Variation Per Deg Celsius:
100.000 nanoseconds
Terminal Type And Quantity:

Terminal Type And Quantity:

2 socket and 3 turret

Thread Size And Series/type Designator:

0.164-32 unc

Shelf Life:

N/a

NSN 5999-00-806-4007

Delay Line - Page 2 of 2

Unit Of Measure:

Demilitarization:

Yes - demil/mli

Fiig:

A32100

