## NSN 5999-00-811-9892



Delay Line - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5999-00-811-9892 **Body Style:** Rectangular, top connection **Hole Diameter:** 0.228 inches **Overall Width:** 6.750 inches Frequency Rating: 15.000 megahertz **Body Length:** 5.000 inches **Body Width:** 6.250 inches **Individual Section Quantity: Longest Horizontal Distance Between Mounting Centers:** 5.750 inches **Longest Vertical Distance Between Mounting Centers:** 4.500 inches **Operating Tempurature Range:** +0.0/+75.0 degrees celsius **Mounting Facility Quantity:** 4 **Material And Location:** Aluminum alloy case **Surface Treatment And Location:** Any acceptable Input Impedance Rating: 330.000 ohms **Output Impedance Rating:** 330.000 ohms Frequency Bandwidth: 3900.0 kilohertz **Body Depth:** 1.250 inches **Mounting Facility:** Unthreaded hole **Mounting Provision Arrangement Style:** Four position rectangular

**Attenuation In Decibels:** 34.000 **Signal Delay Method:** 

Inductance

## NSN 5999-00-811-9892

Delay Line - Page 2 of 2



185.000 microseconds single section

**Terminal Type And Quantity:** 

2 coaxial receptacle

**Fsc Application Data:** 

Radar nonairborne except fire control and guided missile

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

Yes - demil/mli

Fiig:

A32100