

View Online at <https://aerobasegroup.com/nsn/5999-00-812-6869>

Thread Class:

2a

Body Style:

Rectangular

Frequency Rating:

Not rated

Body Length:

3.500 inches

Body Width:

1.875 inches

Individual Section Quantity:

1

Longest Horizontal Distance Between Mounting Centers:

3.000 inches

Operating Temperature Range:

-20.0/+85.0 degrees celsius

Stud Length:

0.312 inches

Mounting Facility Quantity:

2

Voltage Rating:

Not rated

Material And Location:

Metal

Surface Treatment And Location:

Any acceptable

Input Impedance Rating:

10.000 kilohms

Output Impedance Rating:

10.000 kilohms

Frequency Bandwidth:

Not rated

Body Depth:

0.594 inches

Mounting Facility:

Threaded stud

Mounting Provision Arrangement Style:

2 position in-line

Attenuation In Decibels:

Not rated

Signal Delay Method:

Inductance

Delay Time Variation Method:

Tapped

Section Delay Time:

5.900 microseconds single section

Segment Quantity Per Section:

6 single section

Segment Delay Time:

500.000 nanoseconds single section 1st segment err-100

Delay Time Variation Per Deg Celsius:

120.000 nanoseconds

Pulse Rise Time Rating:

500.0 nanoseconds

Terminal Type And Quantity:

8 tab solder lug

Thread Size And Series/type Designator:

0.138-32 unc

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A32100