

View Online at <https://aerobasegroup.com/nsn/5999-00-826-8451>

Body Style:

Rectangular

Hole Diameter:

0.170 inches

Frequency Rating:

Not rated

Body Length:

Between 3.980 inches and 4.020 inches

Body Width:

Between 2.980 inches and 3.020 inches

Individual Section Quantity:

1

Longest Horizontal Distance Between Mounting Centers:

2.600 inches

Longest Vertical Distance Between Mounting Centers:

2.400 inches

Operating Temperature Range:

Not rated

Mounting Facility Quantity:

4

Voltage Rating:

Not rated

Material And Location:

Steel, corrosion resisting case and brass terminal

Surface Treatment And Location:

Enamel, mil-e-15090 case and tinned terminal

Input Impedance Rating:

500.000 ohms

Output Impedance Rating:

500.000 ohms

Body Depth:

Between 0.480 inches and 0.520 inches

Mounting Facility:

Unthreaded hole

Mounting Provision Arrangement Style:

Four position rectangular

Attenuation In Decibels:

3.000

Signal Delay Method:

Lumped constant

Delay Time Variation Method:

Tapped

Section Delay Time:

5.000 microseconds single section

Segment Quantity Per Section:

10 single section

Segment Delay Time:

4.600 microseconds single section 9th segment err-100

Delay Time Variation Per Deg Celsius:

Not rated

Pulse Rise Time Rating:

143.0 milliseconds

Terminal Type And Quantity:

14 wire leads

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A32100