Electronic Shielding Gasket - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5999-00-835-2248

| Cross Sectional Shape:   |
|--|
| Mesh and composition   |
| Hole Diameter:   |
| Between 0.497 inches and 0.510 inches  |
| Overall Length:  |
| 9.250 inches   |
| Overall Width:   |
| 7.031 inches   |
| Minor Width:   |
| Between 0.125 inches and 0.141 inches  |
| Aperture Width:  |
| 5.281 inches   |
| Aperture Length:   |
| 7.500 inches   |
| Outside Corner Bevel Length Along Width:   |
| 0.125 inches   |
| Outside Corner Bevel Length Along Length:  |
| 0.125 inches   |
| Center To Center Distance Between Bolt Holes Along Width:                          |
| 2.094 inches   |
| Center To Center Distance Between Bolt Holes Along Length:                         |
| 2.125 inches   |
| Outside Edge To Bolt Hole Center Distance Along Width:                             |
| 0.375 inches   |
| Outside Edge To Bolt Hole Center Distance Along Length:                            |
| 0.375 inches   |
| Cross-sectional Height:  |
| Between 0.156 inches and 0.172 inches  |
| Minor Height:  |
| Between 0.125 inches and 0.141 inches  |
| Bolt Hole Quantity:  |
| 14   |
| Environmental Protection Material Location:  |
| Around rf shielding gasket aperture  |
| Material:  |
| Rubber synthetic environmental seal  |
| Material Specification:  |
| Qq-n-281, grade a federal specification single material response emi/rfi conductor |
| Style Designator:  |
| Non-circular   |
| Shelf Life:  |
| N/a  |
|  |

## NSN 5999-00-835-2248

Electronic Shielding Gasket - Page 2 of 2



Unit Of Measure:

---

Demilitarization:

No

Fiig:

A032a0

Mil-std (military Standard):

Mil-r-6855 spec.