

View Online at <https://aerobasegroup.com/nsn/5999-00-871-7207>

**Body Style:**

Rectangular, top connection

**Overall Width:**

1.594 inches

**Frequency Rating:**

Not rated

**Body Length:**

2.375 inches

**Body Width:**

1.344 inches

**Individual Section Quantity:**

1

**Longest Horizontal Distance Between Mounting Centers:**

1.375 inches

**Operating Temperature Range:**

-40.0/+175.0 degrees fahrenheit

**Mounting Facility Quantity:**

2

**Voltage Rating:**

Not rated

**Material And Location:**

Any acceptable

**Input Impedance Rating:**

100.000 ohms

**Output Impedance Rating:**

Not rated

**Frequency Bandwidth:**

Not rated

**Body Depth:**

1.000 inches

**Mounting Facility:**

Unthreaded hole

**Mounting Provision Arrangement Style:**

2 position in-line

**Attenuation In Decibels:**

2.000

**Signal Delay Method:**

Electromechanical

**Delay Time Variation Method:**

Tapped

**Section Delay Time:**

1.850 microseconds single section err-100

**Segment Quantity Per Section:**

4 single section

**Segment Delay Time:**

1.900 microseconds single section 4th segment err-100

**Delay Time Variation Per Deg Celsius:**

Not rated

**Pulse Rise Time Rating:**

150.0 nanoseconds

**Terminal Type And Quantity:**

6 tab solder lug

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

Yes - demil/mli

**Fig:**

A32100