

View Online at <https://aerobasegroup.com/nsn/5999-00-900-8895>

Body Style:

Rectangular

Slot Length:

0.312 inches

Frequency Rating:

Not rated

Body Length:

8.531 inches

Body Width:

1.125 inches

Individual Section Quantity:

1

Operating Temperature Range:

-30.0/+85.0 degrees celsius

Mounting Facility Quantity:

1

Voltage Rating:

Not rated

Material And Location:

Plastic body

Input Impedance Rating:

5.500 kilohms

Output Impedance Rating:

5.500 kilohms

Frequency Bandwidth:

Not rated

Body Depth:

0.562 inches

Mounting Facility:

Slotted hole

Attenuation In Decibels:

3.000

Signal Delay Method:

Lumped constant

Delay Time Variation Method:

Tapped

Section Delay Time:

22.000 microseconds single section

Segment Quantity Per Section:

3 single section

Segment Delay Time:

8.500 microseconds single section 2nd segment err-100

Delay Time Variation Per Deg Celsius:

Not rated

Pulse Rise Time Rating:

1.8 microseconds

Terminal Type And Quantity:

5 turret

Err Default:

Err default

Fsc Application Data:

Radar nonairborne except fire control and guided missile

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fig:

A32100