

View Online at <https://aerobasegroup.com/nsn/5999-00-916-7948>

**Thread Class:**

2a

**Thread Pitch Diameters:**

+0.1257/+0.1437 inches

**Body Style:**

Cylindrical

**Body Diameter:**

1.656 inches

**Frequency Rating:**

Not rated

**Body Length:**

3.125 inches

**Individual Section Quantity:**

2

**Longest Horizontal Distance Between Mounting Centers:**

1.844 inches

**Operating Temperature Range:**

Not rated

**Stud Length:**

0.406 inches

**Mounting Facility Quantity:**

2

**Voltage Rating:**

Not rated

**Material And Location:**

Any acceptable

**Input Impedance Rating:**

1.200 kilohms

**Output Impedance Rating:**

1.200 kilohms

**Frequency Bandwidth:**

Not rated

**Mounting Facility:**

Threaded stud

**Mounting Provision Arrangement Style:**

2 position in-line

**Attenuation In Decibels:**

Not rated

**Signal Delay Method:**

Inductance

**Section Delay Time:**

950.000 nanoseconds 2nd section err-100

**Delay Time Variation Per Deg Celsius:**

Not rated

**Pulse Rise Time Rating:**

200.0 nanoseconds

**Terminal Type And Quantity:**

4 wire hook

**Thread Size And Series/type Designator:**

0.164-32 unc

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

Yes - demil/mli

**Fig:**

A32100