Electronic Shielding Gasket - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5999-00-917-7651

Cross Sectional Shape:
Wire and composition
Hole Diameter:
Between 0.193 inches and 0.213 inches
Overall Length:
Between 1.750 inches and 1.766 inches
Overall Width:
Between 1.750 inches and 1.766 inches
Aperture Diameter:
Between 1.500 inches and 1.516 inches
Outside Corner Radius:
0.188 inches
Center To Center Distance Between Bolt Holes Along Width:
Between 1.365 inches and 1.385 inches
Center To Center Distance Between Bolt Holes Along Length:
Between 1.365 inches and 1.385 inches
Outside Edge To Bolt Hole Center Distance Along Width:
Between 0.172 inches and 0.192 inches
Outside Edge To Bolt Hole Center Distance Along Length:
Between 0.172 inches and 0.192 inches
Cross-sectional Height:
0.020 inches
Bolt Hole Quantity:
4
Environmental Protection Material Location:
Throughout rf shielding gasket
Material:
Rubber chloroprene class cr environmental seal
Material Specification:
Ams 3222 assn standard single material response environmental seal
Surface Treatment:
Chromate emi/rfi conductor
Surface Treatment Specification:
Mil-c-5541 military specification single treatment response emi/rfi conductor
Style Designator:
Non-circular
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:

Yes - demil/mli

NSN 5999-00-917-7651

Electronic Shielding Gasket - Page 2 of 2



Fiig: A032a0

Mil-std (military Standard):

Mil-c-5541 spec.