NSN 5999-00-922-2974

Delay Line - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5999-00-922-2974

Body Style:

Rectangular

Frequency Rating:

Not rated

Adjustment Device Drive Type:

Linear slide

Body Length:

4.660 inches

Body Width:

1.030 inches

Individual Section Quantity:

2

Longest Horizontal Distance Between Mounting Centers:

4.406 inches

Operating Tempurature Range:

-55.0/+125.0 degrees celsius

Mounting Facility Quantity:

2

Voltage Rating:

Not rated

Input Impedance Rating:

300.000 ohms

Output Impedance Rating:

300.000 ohms

Frequency Bandwidth:

Not rated

Body Depth:

0.440 inches

Mounting Facility:

Unthreaded hole

Mounting Provision Arrangement Style:

2 position in-line

Attenuation In Decibels:

Not rated

Signal Delay Method:

Lumped constant

Delay Time Variation Method:

Variable

Section Delay Time:

8.000 microseconds all sections

Delay Time Variation Per Deg Celsius:

Not rated

NSN 5999-00-922-2974

Delay Line - Page 2 of 2

Pulse Rise Time Rating:

Not rated

Terminal Type And Quantity:

6 tab solder lug

Fsc Application Data:

Transponder set, identification

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

Yes - demil/mli

Fiig:

A32100

