NSN 5999-00-933-8634

Delay Line - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5999-00-933-8634

Body Style:
Rectangular
Frequency Rating:
Not rated
Adjustment Device Quantity:
1
Adjustment Device Drive Type:
Slotted screw
Body Length:
3.500 inches
Body Width:
0.620 inches
Individual Section Quantity:
1
Operating Tempurature Range:
Not rated
Voltage Rating:
Not rated
Material And Location:
Steel, qq-s-763, class 303, cond a
Surface Treatment And Location:
Any acceptable
Input Impedance Rating:
1.000 kilohms
Output Impedance Rating:
1.000 kilohms
Frequency Bandwidth:
Not rated
Body Depth:
0.300 inches
Mounting Facility:
Terminal
Attenuation In Decibels:
Not rated
Signal Delay Method:
Inductance
Delay Time Variation Method:
Variable
Section Delay Time:
350.000 nanoseconds single section err-100
Delay Time Variation Per Deg Celsius:

Not rated

NSN 5999-00-933-8634

Delay Line - Page 2 of 2



60.0 nanoseconds

Terminal Type And Quantity:

2 wire leads

Shelf Life:

N/a

Unit Of Measure:

__

Demilitarization:

Yes - demil/mli

Fiig:

A32100