## NSN 5999-00-984-4732

Delay Line - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5999-00-984-4732

## Body Style:

Rectangular, bracketed

## Hole Diameter:

0.219 inches

## **Overall Length:**

5.310 inches

## Frequency Rating:

1.500 megahertz

## Body Length:

4.000 inches

## Body Width:

2.000 inches

## Individual Section Quantity:

#### 1

#### Longest Horizontal Distance Between Mounting Centers:

4.810 inches

#### Longest Vertical Distance Between Mounting Centers:

3.000 inches

#### **Operating Tempurature Range:**

-54.0/+71.0 degrees celsius

## Mounting Facility Quantity:

4

#### Material And Location:

Metal

#### Surface Treatment And Location:

Any acceptable

#### Input Impedance Rating:

500.000 ohms

## Output Impedance Rating:

500.000 ohms

## Body Depth:

6.000 inches

#### Mounting Facility:

Unthreaded hole

## Mounting Provision Arrangement Style:

Four position rectangular

## Attenuation In Decibels:

4.000

## Signal Delay Method:

Lumped constant

## Section Delay Time:

12.200 microseconds single section

# NSN 5999-00-984-4732

Delay Line - Page 2 of 2



## Terminal Type And Quantity:

2 solder stud

Shelf Life:

N/a

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A32100