NSN 5999-00-984-4732



Delay Line - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5999-00-984-4732 **Body Style:** Rectangular, bracketed **Hole Diameter:** 0.219 inches **Overall Length:** 5.310 inches Frequency Rating: 1.500 megahertz **Body Length:** 4.000 inches **Body Width:** 2.000 inches **Individual Section Quantity: Longest Horizontal Distance Between Mounting Centers:** 4.810 inches **Longest Vertical Distance Between Mounting Centers:** 3.000 inches **Operating Tempurature Range:** -54.0/+71.0 degrees celsius **Mounting Facility Quantity:** 4 **Material And Location:** Metal **Surface Treatment And Location:** Any acceptable Input Impedance Rating: 500.000 ohms **Output Impedance Rating:** 500.000 ohms **Body Depth:** 6.000 inches **Mounting Facility:** Unthreaded hole **Mounting Provision Arrangement Style:** Four position rectangular **Attenuation In Decibels:**

4.000

Signal Delay Method:

Lumped constant

Section Delay Time:

12.200 microseconds single section

NSN 5999-00-984-4732

Delay Line - Page 2 of 2



Terminal '	Type And	Quantity:
ı errillinar	I VDE AIIU	Qualitity.

2 solder stud

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A32100