

View Online at <https://aerobasegroup.com/nsn/5999-00-998-8775>

Thread Class:

2a

Body Style:

Rectangular

Shaft Diameter:

0.250 inches

Bushing Length:

0.313 inches

Shaft Length:

0.625 inches

Frequency Rating:

70.000 megahertz

Adjustment Device Quantity:

1

Adjustment Device Drive Type:

Shaft

Body Length:

5.375 inches

Body Width:

1.250 inches

Shaft Style:

Round, slotted

Individual Section Quantity:

1

Operating Temperature Range:

-40.0/+85.0 degrees celsius

Stud Length:

0.500 inches

Mounting Facility Quantity:

1 and 4

Input Impedance Rating:

93.000 ohms

Output Impedance Rating:

93.000 ohms

Body Depth:

1.000 inches

Mounting Facility:

Threaded bushing and threaded stud

Attenuation In Decibels:

3.000

Delay Time Variation Method:

Variable

Section Delay Time:

50.000 nanoseconds single section err-100

Pulse Rise Time Rating:

5.0 nanoseconds

Terminal Type And Quantity:

4 wire hook

Thread Size And Series/type Designator:

0-375-32 unef and 0.164-32 unc

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fig:

A32100