NSN 5999-01-016-1303

Electronic Shielding Gasket - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5999-01-016-1303

Cross	Sectional	Shape:
-------	-----------	--------

Wire and composition

Hole Diameter:

Between 0.162 inches and 0.182 inches

Overall Length:

Between 1.734 inches and 1.766 inches

Overall Width:

Between 1.734 inches and 1.766 inches

Aperture Diameter:

Between 1.546 inches and 1.578 inches

Outside Corner Radius:

0.188 inches

Center To Center Distance Between Bolt Holes Along Width:

Between 1.365 inches and 1.385 inches

Center To Center Distance Between Bolt Holes Along Length:

Between 1.365 inches and 1.385 inches

Outside Edge To Bolt Hole Center Distance Along Width:

Between 0.178 inches and 0.198 inches

Outside Edge To Bolt Hole Center Distance Along Length:

Between 0.178 inches and 0.198 inches

Cross-sectional Height:

0.020 inches

Bolt Hole Quantity:

Environmental Protection Material Location:

Throughout rf shielding gasket

Material:

Rubber chloroprene class cr environmental seal

Material Specification:

Ams 4182 assn standard single material response emi/rfi conductor

Surface Treatment:

Chromate emi/rfi conductor

Surface Treatment Specification:

Mil-c-5541 military specification single treatment response emi/rfi conductor

Style Designator:

Non-circular

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

NSN 5999-01-016-1303

Electronic Shielding Gasket - Page 2 of 2



Fiig:

A032a0

Mil-std (military Standard):

Mil-c-5541 spec.