NSN 5999-01-020-5549



Delay Line - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5999-01-020-5549 **Body Style:** Rectangular **Body Length:** 1.000 inches **Body Width:** 0.500 inches **Individual Section Quantity: Longest Horizontal Distance Between Mounting Centers:** 0.800 inches **Longest Vertical Distance Between Mounting Centers:** 0.300 inches **Operating Tempurature Range:** -55.0/+125.0 degrees celsius **Mounting Facility Quantity: Voltage Rating:** 100.000 volts **Material And Location:** Plastic body Input Impedance Rating: 100.000 ohms **Output Impedance Rating:** 100.000 ohms **Body Depth:** 0.300 inches **Mounting Facility:** Terminal **Mounting Provision Arrangement Style:** Four position rectangular **Signal Delay Method:** Inductance **Delay Time Variation Method:** Tapped **Section Delay Time:** 110.000 nanoseconds single section **Segment Quantity Per Section:** 2 single section **Segment Delay Time:**

Pulse Rise Time Rating:

20.0 nanoseconds

55.000 nanoseconds single section all segments

NSN 5999-01-020-5549

Delay Line - Page 2 of 2



i ei ii ii iai Tybe And Quantity.	Tε	rminal	Type	And	Quantity:	
-----------------------------------	----	--------	------	-----	-----------	--

5 pin

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A32100