Electronic Shielding Gasket - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5999-01-023-5080

| Cross Sectional Shape: |
|---|
| Emi |
| Hole Diameter: |
| 0.219 inches |
| Overall Length: |
| 2.500 inches |
| Tempurature Rating: |
| -70.0 degrees fahrenheit and 500.0 degrees fahrenheit |
| Overall Width: |
| 2.500 inches |
| Aperture Diameter: |
| 2.188 inches |
| Outside Corner Radius: |
| 0.438 inches |
| Center To Center Distance Between Bolt Holes Along Width: |
| 1.938 inches |
| Center To Center Distance Between Bolt Holes Along Length: |
| 1.938 inches |
| Outside Edge To Bolt Hole Center Distance Along Width: |
| 0.562 inches |
| Outside Edge To Bolt Hole Center Distance Along Length: |
| 0.562 inches |
| Cross-sectional Height: |
| 0.062 inches |
| Bolt Hole Quantity: |
| 4 |
| Environmental Protection Material Location: |
| Throughout rf shielding gasket |
| Material: |
| Rubber silicone class q environmental seal |
| Material Specification: |
| Qq-n-281, class b federal specification single material response emi/rfi conductor or ams 4182 federal specification single material response |
| emi/rfi conductor |
| Style Designator: |
| Non-circular |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| |
| Demilitarization: |
| No |
| Fiig: |
| A032a0 |
| |
| |

Electronic Shielding Gasket - Page 2 of 2

AeroBase Group

Mil-std (military Standard):

Mil-r-5847 spec.