

View Online at <https://aerobasegroup.com/nsn/5999-01-040-3632>

**Body Style:**

Rectangular

**Frequency Rating:**

Not rated

**Body Length:**

0.785 inches

**Body Width:**

0.300 inches

**Individual Section Quantity:**

1

**Operating Temperature Range:**

Not rated

**Inclosure Type:**

Hermetically sealed

**Voltage Rating:**

Not rated

**Material And Location:**

Copper terminal err-100 err-100 or phosphor bronze terminal err-100 err-100

**Surface Treatment And Location:**

Tin plated terminal

**Input Impedance Rating:**

100.000 ohms

**Output Impedance Rating:**

100.000 ohms

**Frequency Bandwidth:**

Not rated

**Body Depth:**

0.225 inches

**Mounting Facility:**

Terminal

**Attenuation In Decibels:**

0.500

**Signal Delay Method:**

Lumped constant

**Section Delay Time:**

100.000 nanoseconds single section

**Segment Quantity Per Section:**

10 single section

**Segment Delay Time:**

10.000 nanoseconds single section all segments

**Delay Time Variation Per Deg Celsius:**

Not rated

**Pulse Rise Time Rating:**

13.5 nanoseconds

**Terminal Type And Quantity:**

14 tab solder lug

**Fsc Application Data:**

An/gsn-t3 training set

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

Yes - demil/mli

**Fiig:**

A32100