## NSN 5999-01-042-1538

Delay Line - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5999-01-042-1538 **Body Style:** Rectangular **Body Length:** 0.785 inches **Body Width:** 0.300 inches **Individual Section Quantity: Operating Tempurature Range:** +0.0/+70.0 degrees celsius Voltage Rating: 25.000 pounds per hour with retaining chain **Material And Location:** Plastic, epoxy case Input Impedance Rating: 100.000 ohms **Output Impedance Rating:** 100.000 ohms **Body Depth:** 0.225 inches **Mounting Facility:** Plug-in **Attenuation In Decibels:** 0.500 **Signal Delay Method:** Lumped constant **Delay Time Variation Method:** Tapped **Section Delay Time:** 150.000 nanoseconds single section **Segment Quantity Per Section:** 10 single section **Segment Delay Time:** 15.000 nanoseconds single section all segments **Pulse Rise Time Rating:** 19.0 nanoseconds **Terminal Type And Quantity:** 14 pin **Fsc Application Data:** Tactics trainer

Shelf Life:

N/a

## NSN 5999-01-042-1538

Delay Line - Page 2 of 2



**Unit Of Measure:** 

--

Demilitarization:

Yes - demil/mli

Fiig:

A32100