

View Online at <https://aerobasegroup.com/nsn/5999-01-043-2099>

**Body Style:**

Rectangular

**Hole Diameter:**

0.025 inches

**Body Length:**

2.500 inches

**Body Width:**

0.560 inches

**Individual Section Quantity:**

1

**Longest Horizontal Distance Between Mounting Centers:**

2.320 inches

**Operating Temperature Range:**

-55.0/+125.0 degrees celsius

**Mounting Facility Quantity:**

2

**Voltage Rating:**

25.000 volts

**Material And Location:**

Plastic, diallyl phthalate, mil-m-14, type sgd body

**Input Impedance Rating:**

75.000 ohms

**Output Impedance Rating:**

75.000 ohms

**Frequency Bandwidth:**

26.0 hertz

**Body Depth:**

0.400 inches

**Mounting Facility:**

Unthreaded hole

**Mounting Provision Arrangement Style:**

2 position in-line

**Attenuation In Decibels:**

1.000

**Signal Delay Method:**

Lumped constant

**Delay Time Variation Method:**

Tapped

**Section Delay Time:**

300.000 nanoseconds single section

**Segment Quantity Per Section:**

10 single section

**Segment Delay Time:**

0.300 nanoseconds single section all segments

**Delay Time Variation Per Deg Celsius:**

1.000 nanoseconds

**Pulse Rise Time Rating:**

20.0 nanoseconds

**Terminal Type And Quantity:**

14 pin

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

Yes - demil/mli

**Fig:**

A32100