

View Online at <https://aerobasegroup.com/nsn/5999-01-051-0922>

Body Style:

Rectangular

Frequency Rating:

Not rated

Body Length:

0.800 inches

Body Width:

0.400 inches

Individual Section Quantity:

1

Operating Temperature Range:

-0.0/+70.0 degrees celsius

Mounting Facility Quantity:

8

Voltage Rating:

Between 2.000 volts and 5.500 volts

Material And Location:

Plastic, diallyl phthalate, mil-m-14, type sgd body

Input Impedance Rating:

Not rated

Output Impedance Rating:

Not rated

Frequency Bandwidth:

Not rated

Body Depth:

0.225 inches

Mounting Facility:

Pin

Attenuation In Decibels:

Not rated

Signal Delay Method:

Transmission line

Delay Time Variation Method:

Tapped

Section Delay Time:

200.000 nanoseconds single section

Segment Quantity Per Section:

5 single section

Segment Delay Time:

40.000 nanoseconds single section all segments

Delay Time Variation Per Deg Celsius:

Not rated

Pulse Rise Time Rating:

4.0 nanoseconds

Terminal Type And Quantity:

8 tab solder lug

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fig:

A32100