

View Online at <https://aerobasegroup.com/nsn/5999-01-052-0494>

Body Style:

Rectangular, front connection

Overall Depth:

0.200 inches

Frequency Rating:

Not rated

Body Length:

0.880 inches

Body Width:

0.260 inches

Individual Section Quantity:

1

Operating Temperature Range:

-62.0/+120.0 degrees celsius

Mounting Facility Quantity:

16

Voltage Rating:

Not rated

Material And Location:

Any acceptable

Surface Treatment And Location:

Any acceptable

Input Impedance Rating:

100.000 ohms

Output Impedance Rating:

100.000 ohms

Frequency Bandwidth:

Not rated

Body Depth:

0.180 inches

Mounting Facility:

Pin

Attenuation In Decibels:

Not rated

Signal Delay Method:

Lumped constant

Delay Time Variation Method:

Tapped

Section Delay Time:

45.000 nanoseconds single section

Segment Quantity Per Section:

11 single section

Segment Delay Time:

4.500 nanoseconds single section 6th segment err-100 and 5.500 nanoseconds single section 6th segment err-100

Delay Time Variation Per Deg Celsius:

Not rated

Pulse Rise Time Rating:

10.0 nanoseconds

Terminal Type And Quantity:

16 pin

Fsc Application Data:

Data normalizer, test set, countermeasures

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fig:

A32100